O O O O V E S C O



OTSC° System

saving lives®



The OTSC® System stands for superior clinical efficacy^{1,2}, easy and quick application³ and cost effectiveness⁴.

The OTSC® System is used in flexible endoscopy for

- acute bleeding
- wall closure
- closure of chronic lesions
- management of complications after endoscopic or surgical procedures

OTSC® System

Over-The-Scope-Clipping System

The OTSC® System is an innovative clipping system to be applied via flexible endoscopes. It offers the physician unique features superior to any other device:


- dynamic compression, continuous adaption to tissue thickness
- larger volume of tissue secured
- higher stability at the lesion site
- minimal strain on surrounding tissue

The exceptional features and therapeutic functions of the OTSC® System are based on its unique material and design: the superelastic Nitinol® is biocompatible, MRI conditional, and, if needed, even suited to be applied as a long-term implant.


..... Application

Hemostasis







Target lesion with





Bring OTSC® cap in





Suction target tissue





Apply OTSC® clip by turning the

Hemostasis of an arterial bleeding, source: Prof. Dr. Chiu, Prince of Wales Hospital, Hong Kong SAR, China

¹ Wedi E, Fischer A, Hochberger J, Jung C, Orkut S, Richter-Schrag HJ. Multicenter evaluation of first-line endoscopic treatment with the OTSC in acute non-variceal upper gastrointestinal bleeding and comparison with the Rock all cohort: the FLETRock study. Surg Endosc. 2018 Jan;32(1):307-314. doi:10.1007/s00464-017-5678-7. Epub 2017 Jun 27.

² Schmidt A, Gölder S, Goetz M, Meining A, Lau J, von Delius S, Escher M, Hoffmann A, Wiest R, Messmann H, Kratt T, Walter B, Bettinger D, Caca K. Over the Scope Clips Are More Effective Than Standard Endoscopic Therapy for Patients With Recurrent Bleeding of Peptic Ulcers. Gastroenterology. 2018 Sep;155(3): 674-686.e6. doi:10.1053/j.gastro.2018.05.037. Epub 2018 May 24







The use of the OTSC® System is intuitive and easy, very similar to other devices based on the application cap principle. The application cap is mounted to the tip of the endoscope. By turning the handwheel, the thread is tightened and the clip is applied. It is compatible with commercially available endoscopes. A variety of different sizes and combinations are available for commonly used endoscopes.

Our application aids allow easier positioning of lesions: the OTSC® Anchor (e.g. fistula or ulcer bleeding treatment) and the OTSC® Twin Grasper® (e.g. perforation closure) assist you in approximating tissue precisely into the cap.

All OTSC® products are disposable and designed for single patient use.

Perforation closure






Grasp first perforation edge with one of the two OTSC®Twin Grasper® jaw parts.






Grasp opposite perforation edge with second jaw part.





Retract perforation into cap (OTSC® Twin Grasper® must b fully inside cap).





Apply clip and release OTSC® Twin Grasper®.

Closure of a perforation in the rectum, source: Dr. Mauro Manno & Dr. Paola Soriani, UOSD Endoscopia Digestiva Area Nord, Azienda USC di Modena, Ospedale di Carpi e Mirandola, Italy

- 3 Kato M, Jung Y, Gromski MA, Chuttani R, Matthes K. Prospective, randomized comparison of 3 different hemoclips for the treatment of acute upper GI hemorrhage in an established experimental setting. Gastrointest Endosc. 2012 Jan;75(1): 3-10. doi:10.1016/j.gie.2011.11.003
- 4 Küllmer A, Behn J, Glaser N, Thimme R, Caca K, Schmidt A. KV 470 OTSC- vs Standard-Therapie der Rezidiv-Ulkusblutung: eine Kosteneffektivitäts-Analyse. Oral presentation at the DGVS 2018, Munich.



Fistula closure






Target fistula opening position the OTSC® Anchor and fix tissue






Align OTSC® cap to the fistula opening by pulling the anchor and advancing endoscope.





Mobilize tip of OTSC® Ancho shaft into cap; anchor spikes may remain external.






Apply clip; release OTSC® Anchor from tissue.

Closure of a PEG fistula, source: Dr. Thomas Kratt, Universitätsklinikum Tuebingen, Germany

one & done

OTSC® – The first choice: highest efficacy in Gl bleeding.



Proven clinical benefit:

OTSC® in first-line therapy significantly reduces re-bleeding risk and bleeding associated mortality in UGIB (FLETRock evaluation¹).

Compared to Rockall's validated prediction, re-bleeding risk and bleeding related mortality were significantly reduced from 53.2 % to 21.4 % (p<0.001) and 27.9 % to 10.9 % (p=0.011), respectively in high-risk Rockall score (score 8) patients treated with the OTSC.

OTSC® significantly improves outcome of hemostasis in patients randomized to OTSC® or standard therapy (STING trial²).


Successful hemostasis was achieved in 93.9 % vs 57.6 % (p=0.001) of otherwise unsuccessfully treated patients, now receiving either OTSC or injection plus other clips or thermal coagulation.





..... OTSC® System





Details and components

The OTSC® System consists of an applicator cap with a mounted clip, handwheel and thread retriever. The OTSC® System is available in the following variety of cap sizes and clip designs to provide secure application regardless of the anatomical situation and endoscope type.

- 4 different cap and corresponding clip sizes
- 2 different cap depths for capturing more or less tissue
- 3 different theeth shapes suitable for different areas of application





OTSC® version		mini	11	12	14
Endoscope diameter Ø [mm]		8.5-9.8	8.5 – 11	10.5 – 12	11.5 – 14
Depth of cap	3 mm	mini/3a mini/3t	11/3a 11/3t	12/3a 12/3t	14/3a14/3t
	6 mm		11/6a11/6t	12/6a12/6t12/6gc	14/6a14/6t
Max. outer diameter Ø [mm]		14.6	16.5	17.5	21







blunt teeth, primarily compression effect

teeth with small spikes, compression and anchoring effect elongated teeth with spikes, application: closure of gastric wall

Application aid

There are two instruments available to enable a more effective application. These can be inserted next to the thread in the same working channel.



For better approximation of tissue especially when hard or fibrotic (e.g. fistulae, chronic ulcer), OTSC® Anchor 220tt especially for thin

	OTSC® Anchor	OTSC® Anchor 220tt
ref. no.	200.10	200.11
working length	1650 mm	2200 mm
max. Ø	2.4 mm	2.4 mm
needle width	12 mm	9 mm
stitch depth	4 mm	2-2.5 mm



For easier approximation of gaping edges of a lesion (e.g. perforation).

	OTSC® Twin Grasper®		
ref. no.	200.44	200.45	
working length	1650 mm	2200 mm	
max. Ø	2.6 mm	2.6 mm	

Ovesco Endoscopy AG

Friedrich-Miescher-Straße 9 72076 Tuebingen Germany

Telefon +49(0)7071 96528-160 Fax +49(0)7071 96528-260 E-Mail service@ovesco.com

Ovesco Endoscopy USA Inc.

120 Quade Drive Cary, NC 27513 USA

Phone +1 919 651 9449 Fax +1 408 608 2077 customerservice@ovesco-usa.com



Ovesco Endoscopy AG is a medical device company specializing in the fields of flexible endoscopy and

www.ovesco.com