BENCHMARK™

BMX96



BENCHMARK BMX96 System – Indication For Use
The BENCHMARK BMX96 System is indicated for the introduction of interventional devices into the peripheral, coronary, and neuro vasculature.
Contraindications There are no known contraindications. Warnings The BENCHMARK BMX96 System should only be used by physicians who have
received appropriate training in interventional techniques. Precautions The device is intended for single use only. Do not resterilize or reuse. Resterilization
and/or reuse may result in ineffective catheter coating lubrication, which may result in high friction and the inability to access the target vasculature location;
and/or may compromise the structural integrity of the device. - Do not use kinked or damaged devices. Do not use open or damaged packages. Return all
damaged devices and packaging to the manufacturer/distributor. - Use The BWY36 System against resistance without careful assessment of the cause
using fluoroscopic visualization. - Do not advance or withdraw the BENCHMARK BMX96 System against resistance without careful assessment of the cause
using fluoroscopic visualization. a continue of the determined withdraw the device. Investigating moving or tigning the device against resistance may result in with nuoroscopy wisualization. To not advance or withdraw the benchmarks boxbo system against resistance without carrier assessment or the cause using fluoroscopy. If the cause cannot be determined, withdraw the device. Unrestrained moving or torquing the device against resistance may result in damage to the vessel or device. * Maintain a constant infusion of an appropriate flush solution. * If flow through the device becomes restricted, do not attempt to clear the lumen by infusion. Remove and replace the device. Potential Adverse Events Possible complications include, but are not limited to, the following: acute occlusion; air embolism; death; distal embolization; emboli; false aneurysm formation; hematoma or hemorrhage at puncture site; infection; intracranial hemorrhage; ischemia; neurological deficits including stroke; vessel spasm, thrombosis, dissection, or perforation.

Caution: Federal (USA) law restricts these devices to sale by or on the order of a physician. Prior to use, please refer to the Instructions for Use for complete product indications, contraindications, warnings, precautions, potential adverse events, and detailed instructions for use. Please contact your

